









Enjoy music on the highest level

## Accessories

Description		Retail
Acrylic Glass support plate 4mm transparent		115.00
Leather Platter Matt (red, blue, white, black and beige finishes)		95.00
Oil for Optimum Technology Bearing		45.00
Drive Belt = 1mm		65.00
Drive Belt = 0.15mm (Knotted)		35.00
Solid Weight Precision Stabilizer 600g (Polished or Non-Polished)		185.00
Solid Weight Precision Stabilizer 300g (Polished or Non-Polished)		115.00
Stand for Solid Weight (Polished or Non-Polished)		220.00









**ABCD-1  
Cartridge Demagnetizer**

Cartridge Demagnetizer

315.00



# **BLACK DIAMOND RACING**

		<u>RETAIL</u>
<b>BDR CONES MK3/MK4</b> USE ANYWHERE: SPEAKERS, COMPONENTS, POWER SUPPLIES		90.00 PER SET OF 3
<b>THE PUCK MK3/MK4</b> 1/4 -20 THREAD RIGHT THROUGH, COUNTERSUNK TO HOLD TIP OF CONE, USE AS ROUND THING, PIT OR SCREW THING		120.00 PER SET OF 4
<b>JUMBO PIT</b> 1.5 X 3.5"		80.00 EACH
<b>THE PITS MK3/MK4</b> DIMPLED TO HOLD TIP OF CONE		225.00 EACH
<b>MAX PITS</b> 1.5 x 2.25"		80.00 EACH
<b>STUDS STAINLESS STEEL 3/4", 5/8", 1-1/2" to 1/4-20</b>		115.00 EACH
<b>ADAPTER STUDS</b> 3/8"-16, 5/16-18, 10/32, 8/32, 6/32, 4mm, 6mm, 8mm, 10mm to 1/4-20		1.35 EACH
<b>ANTI SLIP TAPE DOTS</b>		7.50 EACH

➤ **ALL ORDERS OVER \$1000.00 RECEIVE AN EXTRA 5% & FREE SHIPPING**

## LM Pillows

<u>Pillows</u>	<u>RETAIL</u>
1.8" Pillows	50.00
2.25" Pillows	65.00
2.75" Pillows	80.00
3.5" Pillows	105.00
1.5" LM DISCS	40.00




## LM2 Discs

<u>Size</u>	<u>RETAIL</u>
1.8" x 0.75"	120.00
2.25" x 0.75"	125.00





# Cardas Audio



## Parsec Headphone Cable

### Performance

Parsec HPC has all the legendary benefits Cardas is known for: richness, warmth, detail, non-fatiguing, musical, etc.

The cable is very flexible and the rubber jacket slides nicely without snagging your clothing. The shielded star-quad design is one of our most versatile and successful products, very similar to our original headphone cable introduced back in 2003.

**Standard Termination:** Standard Termination: Choice of Cardas 1/4" stereo. 1/8" stereo. Dual 3-pin XLR. Single 4-pin XLR. 90-degree 1/8" stereo. Balanced Dual 1/8". Balanced 2.5mm. Sennheiser HD580. HD600. HD650. HD700.

### Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded Star-Quad 4 conductor, bound together in carbon impregnated FEP tape. Super flexible Alcryn rubber jacket.

**Gauge:** 4x23.5 AWG

**Outside Diameter:** 0.204"/5.21mm

PARSEC HEADPHONE CABLE • MADE IN USA • CARDAS AUDIO • PARSEC HEADPHONE CABLE • MAD

### Parsec Headphone cable

Sold as Single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	215.00	245.00	275.00	305.00	335.00	365.00	395.00	425.00	455.00	485.00



<b>CG-XLR 3pin Upgrade</b>	
Retail	180.00

<b>For HD800, Audeze, Hifi Man, Pono, Focal</b>	Additional
Retail	80.00
<b>For Lemo Connectors for Focal Utopia</b>	Additional
Retail	350.00



# Cardas Audio

## Personal Audio Interconnects

### iLink

#### Performance

Literally cut from Cross Headphone cable but terminated with a right angle 1/8" stereo plug and stereo male RCA's. Perfect for playing music from your portable player on your home stereo.



#### iLink cable

Sold As Single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	Each Additional 0.5m
Retail	200.00	230.00	260.00	290.00	320.00	30.00

### Clear Light PAI 6"

#### Performance

Literally cut from Clear Light headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Clear Light PAI 6" / 15.24cm	
Retail	225.00

Standard Termination: 1/8" stereo to 1/8" stereo

### Cross PAI 6"

#### Performance

Literally cut from Cross Headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Cross PAI 6" / 15.24cm	
Retail	150.00

Standard Termination: 1/8" stereo to 1/8" stereo

### Headphone Interconnects

#### Performance

The original portable audio upgrade cable. Legendary Cardas sound and performance designed for compact portable products.

Standard Termination: 1/8" stereo to 1/8" stereo



#### Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions.

Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded twisted triad 3 conductor, bound together in FEP tape with cotton fillers. PVC outer jacket.

Sold Each	.15m/6"	0.3m/1ft	1m/3.28ft	HPI-A
Retail	25.00	35.00	62.00	25.00

Gauge: 2x25.5 AWG + 1x23.5AWG

Outside Diameter: 0.122"/3.09mm

The only lengths available are listed above!!





# Cardas Audio

## Iridium Phono

### Performance

Looking for a rich, non-fatiguing, musical cable for your analog playback that doesn't break the bank? Look no further. Iridium Phono brings that classic analog sound with warmth and richness without sacrificing balance and detail.

**Standard Terminations:** Cardas S-DIN-E to Cardas RCA's. or RCA to RCA. Hand soldered in Bandon, Oregon.

### Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Shielded Star-Quad 4 conductor bound together in PTFE tape. Hybrid shield combines a spiral of tin-plated copper and a carbon impregnated PTFE tape. Finished in an ultra-soft and flexible extruded TPR jacket.

**Gauge:** 4x24.5 AWG


**Outside Diameter:** 0.300"/ 7.62mm




### Iridium Phono

Sold Each	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	Each Additional 0.25m
Retail	210.00	235.00	260.00	285.00	310	25.00

R-DIN (90° DIN plug)	
Retail	90.00




## Adapters

	<p><b>CGA FXLR-FRCA</b></p> <p><b>Description:</b> Female XLR to Female RCA. The CGA adapters are made from thick high-quality brass to help block RFI and EMI. Allows the use of RCA and XLR when needed. Standard configuration is pin 2 hot, pin 1 grounded to RCA, pin 3 floating. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 250.00</p>
	<p><b>CGA MXLR-FRCA</b></p> <p><b>Description:</b> Male XLR to Female RCA. The CGA adapters are made from thick high-quality brass to help block RFI and EMI. Allows the use of RCA and XLR when needed. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 250.00</p>
	<p><b>CGA FXLR-MRCA</b></p> <p><b>Description:</b> Female XLR to Male RCA. The CGA adapters are made from thick high-quality brass to help block RFI and EMI. Allows the use of RCA and XLR when needed. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 250.00</p>
	<p><b>CGA MXLR-MRCA</b></p> <p><b>Description:</b> Male XLR to Male RCA. The CGA adapters are made from thick high-quality brass to help block RFI and EMI. Allows the use of RCA and XLR when needed. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 250.00</p>
	<p><b>FRCA-FXLR</b></p> <p><b>Description:</b> Female RCA to Female XLR. Allows the use of RCA and XLR when needed. Cardas GRFA-S mated to a standard Neutrik XLR using Cardas chassis wire and Quad-Eutectic solder. Standard configuration is pin 2 hot, pin 1 grounded to RCA, pin 3 floating. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 150.00</p>
	<p><b>FRCA-MXLR</b></p> <p><b>Description:</b> Female RCA to Male XLR. Allows the use of RCA and XLR when needed. Cardas GRFA-S mated to a standard Neutrik XLR using Cardas chassis wire and Quad-Eutectic solder. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass</p> <p><b>Plating:</b> Silver/rhodium</p> <p><b>Termination:</b> Assembled by hand in Bandon Oregon</p>	<p><b>Retail</b> 150.00</p>
	<p><b>MRCA-FXLR</b></p> <p><b>Description:</b> Male RCA to Female XLR. Allows the use of RCA and XLR when needed. Cardas GRFA-S mated to a standard Neutrik XLR using Cardas chassis wire and Quad-Eutectic solder. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. <b>Sold in pairs.</b></p> <p><b>Base metal:</b> High copper content, non-magnetic brass. <b>Plating:</b> Silver/rhodium. <b>Termination:</b> Assembled by hand in Bandon Oregon.</p>	<p><b>Retail</b> 150.00</p>




## Adapters Continued



**MRCA-MXLR** **Retail**  
150.00

**Description:** Male RCA to Male XLR. Allows the use of RCA and XLR when needed. Cardas GRFA-S mated to a standard Neutrik XLR using Cardas chassis wire and Quad-Eutectic solder. Standard configuration is pin 2 hot, pins 1 and 3 grounded to RCA. Custom versions are available. **Sold in pairs.**


**Base metal:** High copper content, non-magnetic brass  
**Plating:** Silver/Rhodium  
**Termination:** Assembled by hand in Bandon Oregon



**GRQ SM-FRCA** **Retail**  
150.00

**Description:** Male 1/4" mono to female RCA. High quality Cardas GRQ SM mated to a Cardas GRFA-S with Cardas chassis wire and solder. **Sold in pairs.**


**Base metal:** High copper content, non-magnetic brass  
**Plating:** Silver/Rhodium  
**Termination:** Assembled by hand in Bandon Oregon



**FRCA-MBNC (1)** **Retail**  
75.00

**Description:** Female RCA to male BNC. Our most common digital adapter allows the use of 75-ohm RCA digital cable to be connected to a BNC input. Canare BNC mated to a Cardas GRFA-S using Cardas chassis wire and solder.


**Base metal:** High copper content, non-magnetic brass  
**Plating:** Silver/Rhodium  
**Termination:** Assembled by hand in Bandon Oregon



**BTS 6mm** **Retail**  
137.00

**Description:** Allows a banana terminated cable to be connected to a binding post using this 6.3mm/.25" spade. Our BTS is the same spade as our CGMS-R-XS which has a 4mm termination hole. Has a slight angle of 13\* for increased cable clearance. **Sold as a set of 4.**


**Base metal:** High Purity Copper  
**Plating:** Silver/Rhodium  
**Termination:** Assembled by hand in Bandon Oregon



**BTS 9mm** **Retail**  
137.00

**Description:** Allows a banana terminated cable to be connected to a binding post using this 9mm/.35" spade. Our BTS 9 is the same spade as our CGMS-9R-XS which has a 4mm termination hole. Has a slight angle of 13\* for increased cable clearance. **Sold as a set of 4.**

**Base metal:** High Purity Copper  
**Plating:** Silver/Rhodium  
**Termination:** Assembled by hand in Bandon Oregon



**CABD** **Retail**  
62.00

**Description:** Dual banana plug with removable insulator. Standard 0.75" spacing. Gold binding nut for attaching spades or bare wire. Tapered hole at the back for soldering wire or stacking additional banana plugs. Spring loaded split tip for maximum contact surface area and retention.

**Base metal:** High copper content, non-magnetic brass  
**Plating:** Silver/rhodium  
**Termination:** 3 AWG/6mm/0.236"



**GRQ-A** **Retail**  
75.00

**Description:** Male 1/4"/6.3mm stereo to female 1/8"/3.5mm mini. High quality Cardas GRQ SS mated to a Neutrik TRS mini plug using Cardas chassis wire and solder. Allows the use of standard 3.5mm stereo plugs to be used on the larger 6.3mm stereo inputs.

**Base metal:** High copper content, non-magnetic brass  
**Plating:** Silver/rhodium  
**Termination:** Assembled by hand in Bandon Oregon

**Phono Accessories & Protective Caps**



**PCC ER(4) Rhodium**

**Retail**  
50.00

**Description:** Set of four cartridge clips. Fits most cartridge pins and tonearm pins (1mm and 1.2mm). Solderable end with flexible tip to grip pins.  
**Base metal:** High copper content brass  
**Plating:** Silver/rhodium  
**Termination:** Solder



**PCC EG(4) Gold**

**Retail**  
25.00

**Description:** Set of four cartridge clips. Fits most cartridge pins and tonearm pins (1mm and 1.2mm). Solderable end with flexible tip to grip pins.  
**Base metal:** High copper content brass  
**Plating:** Gold  
**Termination:** Solder



**RCA C SS**

**Retail**  
75.00

**Description:** Designed to prevent RFI/EMI contamination, these caps fit over unused female RCA's and also prevent dust build up. Logo screen printed onto face. **Sold as a pack of 12.**  
**Base metal:** High copper content brass  
**Plating:** Nickle



**XLR C SS F**

**Retail**  
71.00

**Description:** Designed to prevent RFI/EMI contamination, these caps fit over unused female XLR's and also prevent dust build up. Logo screen printed onto face. **Sold as a set of 2.**  
**Base metal:** High copper content brass  
**Plating:** Nickle



**XLR C SS M**

**Retail**  
71.00

**Description:** Designed to prevent RFI/EMI contamination, these caps fit over unused male XLR's and also prevent dust build up. Logo screen printed onto face. **Sold as a set of 2.**  
**Base metal:** High copper content brass  
**Plating:** Nickle



**GRQ CAP SS**

**Retail**  
7.50

**Description:** Designed to prevent RFI/EMI contamination, these caps fit over unused female 1/4" female plugs and also prevent dust build up. Logo screen printed onto face. **Sold in singles.**  
**Base metal:** High copper content brass  
**Plating:** Nickle



**CGSP**

**Retail**  
5.00

**Description:** XLR shorting pin. Shorts female XLR inputs. **Sold in singles.**  
**Base metal:** High copper content brass  
**Plating:** Gold

### Contact Conditioner & Accessories



**CCC, 3ml Bottle**

**Retail**  
20.00

**Description:** Cardas contact conditioner is a contact enhancer. Use in small quantities to both enhance and lubricate connections. Apply with a small brush or Q-tip to only the conductive surface. Do not apply to any non-conductive components. Reapply every 30 days.

**Size:** 3 ml



**Myrtlewood Block Large**

**Retail**  
75.00

**Description:** Large myrtlewood cuboids are made from America's most beautiful hardwood, the legendary Myrtle tree. Laser engraved with the Cardas logo. Can be used as equipment footers, to isolate gear, and to create more space between equipment. Myrtlewood has a very complex grain structure. The coloring of the wood is unique, varying from a sedate, satiny gray to riotously, multicolored grains of red, yellow, and brown, with many burls and shapes in its grain. Denser than Oak, unseasoned Myrtle logs will not float. **Sold as a set of 6.**

**Size:** 1" x 1.618" x 2.618



**Myrtlewood Block Small**

**Retail**  
62.00

**Description:** Small myrtlewood cuboids are made from America's most beautiful hardwood, the legendary Myrtle tree. Laser engraved with the Cardas logo. Can be used as equipment footers, to isolate gear, and to create more space between equipment. Myrtlewood has a very complex grain structure. The coloring of the wood is unique, varying from a sedate, satiny gray to riotously, multicolored grains of red, yellow, and brown, with many burls and shapes in its grain. Denser than Oak, unseasoned Myrtle logs will not float. **Sold as a set of 6.**

**Size:** .618" x 1" x 1.618"



**Multi Cable Block**

**Retail**  
70.00

**Description:** Multi Cable Block. Oregon Douglas Fir with 5 "V" cuts, designed to provide several options for cable lifting.

**Sold as a set of 6.**

**Dimensions:** 1" x 1.618" x 2.618"



**Frequency Sweep Burn-In Record**

**Retail**  
37.50

**Description:** The Cardas Frequency Sweep and Burn-in Record is a unique tuning tool for system set-up, diagnostics and maintenance. It was produced by George Cardas and mastered by Stan Ricker. The Sweeper, in addition to the standard tones, includes relative and absolute polarity checks, vocal channel identification and frequency sweeps that ultrasonically clean the cartridge stylus and degauss the entire system. And, locked, pink noise grooves that repeat endlessly, blank plateaus, even a sync label to check platter speed. All on a 180-gram pressing with a smiling Stan cover.

### Headphone Connectors



**HD800 Connectors**

**Retail**  
100.00

**Description:** Cable mount HD800 connectors. **Sold in sets of two.**

**Base metal:** Brass

**Plating:** Gold

**Termination:** Solder



**HPSC (HD650)**

**Retail**  
20.00

**Description:** Cardas HPSC connectors offer a perfect fit for Sennheiser HD600/650 replacement cables. Molded in red and black, these connectors feature easy access for soldering and built-in strain relief. Sold in pairs one color each. Should also fit HD265, 525, 535, 545, 565, 565II, 580. **Sold in sets of two.**

**Base metal:** High copper content, non-magnetic brass. **Plating:** Silver/rhodium. **Termination:** Solder



07/01/2023



**RECORD CARE & STYLUS CARE**  
**(Sold as Each)**

	<u>RETAIL</u>
POWER CLEANER FOR RECORDS – ¾ Fl. Oz.	69.00
POWER CLEANER FOR RECORDS – 4 Fl. Oz. Large	390.00
RECORD PRESERVATIVE – 2 Fl. Oz.	78.00
RECORD PRESERVATIVE – 8 Fl. Oz. Large	290.00
RECORD PRESERVATIVE – 16 Fl. Oz. Professional Size	540.00
ALL-PURPOSE RECORD CLEANER – 2 FL. Oz	45.00
ALL-PURPOSE RECORD CLEANER – 4 FL. Oz. Large Size	70.00
STYLUS CLEANER – ¼ Fl. Oz.	40.00
STYLAST – STYLUS TREATMENT – ¼ Fl. Oz.	55.00
RECORD CLEANING MACHINE FLUID – 1 Gallon	120.00

**RECORD CARE KITS & ACCESSORIES**  
**(Sold Per Kit)**

	<u>RETAIL</u>
POWER CLEANER + RECORD PRESERVATIVE KIT – ¾ Fl. Oz. + 2 Fl. Oz.	130.00
RECORD PRESERVATIVE KIT + ALL-PURPOSE CLEANER KIT – 2 Fl. Oz. + 2 Fl. Oz.	110.00
HERITAGE BOX RECORD PRESERVATIVE + ALL-PURPOSE CLEANER IN LEATHERETTE GIFT BOX – 2x 2 Fl. Oz. Bottles + Box	115.00
STYLUS CLEANER + STYLAST STYLUS TREATMENT KIT – ¼ Fl. Oz. + ¼ Fl. Oz.	85.00
MICROFIBER APPLICATORS – TO APPLY CLEANER/PRESERVATIVE TO VINYL RECORDS (PACKAGE OF 10)	55.00

391 Hanlan Rd Unit # 4, Vaughan, ON L4L 3T1  
Toll Free: 1-800-263-8151, Fax: (905)-265-7868  
Email: tricell@bellnet.ca Website: www.tricellenterprises.com



**Power Cleaner 3/4 Fl. Oz.**



**Power Cleaner 4 Fl. Oz.**



**Record Preservative 2 Fl. Oz.**



**Record Preservative 8 Fl. Oz.**



**Record Preservative 16 Fl. Oz.**



**All-Purpose Record Cleaner 2 Fl. Oz.**



**All-Purpose Record Cleaner 4 Fl. Oz.**



**Stylus Cleaner 1/4 Fl. Oz.**



**STYLAST Stylus  
Treatment 1/4 Fl. Oz.**





**Record Cleaning  
Machine Fluid 1 Gallon**



**Record Preservative 2 Fl. Oz. &  
Power Cleaner ¾ Fl. Oz. Kit**



**Record Preservative 2 Fl. Oz. &  
All-Purpose Record Cleaner 2 Fl. Oz. Kit**



**Heritage Box Record Preservative 2 Fl. Oz. &  
All-Purpose Record Cleaner 2 Fl. Oz. Kit in  
leatherette gift box**



**Stylus Cleaner ¼ Fl. Oz &  
STYLAST Stylus Treatment ¼ Fl. Oz Kit**



**Microfiber Applicators**





DELUXE CLEANING BOX SET

Contains all the necessary tools to clean and protect your precious vinyl records.

The following items are included:

- Natural goat hair record brush
- Handmade oak wood velvet record brush
- Stylus cleaner 30ml
- Vinyl cleaner 80ml
- Microfiber cloth
- In three colors, Red, Black and Brown.

**\$90.00 Retail**



STYLUS CLEANER 30ML

- Audiophile Quality Stylus Cleaner Kit that extends stylus and record life
- Alcohol free cleaning solution
- Soft stylus applicator brush

**\$12.00 Retail**



VINYL RECORD CLEANER READY TO USE  
200ML

- High performance cleaner for vinyl records.
- Non-toxic Alcohol-free non-flammable Vinyl cleaning liquid.
- Improves fidelity
- Reduces Surface noise
- Removes static.
- Removes fingerprints, dust, dirt, oil, ink, smoke, food and stains.
- Microfiber cloth included.
- 200ml/6.7oz

**\$16.00 Retail**



OAKWOODVELVETBRUSH

- High quality velvetbrush
- Hand made from oak wood and super fine velvet cloth



**\$17.00 Retail**



VINYLRECORDBRUSH

- Anti-Static vinyl recordbrush
- Made from oak wood and natural goat hair
- Natural wood finish

**\$17.00 Retail**



ANTISTATICINNERSLEEVES

- Silky High-Density Plastic
- Paper weights of 80r Heavy Gauge Thick Black Paper
- Anti Static Premium Inner Sleeves
- With two central holes/Measures 300mm x 309 mm approximately
- The paper is white or black, through-dyed and not printed, so that there are no streaks at the cut edges and glued parts
- **Comes in Pack of 25 (White or Black)**

**\$16.00 Retail**



**VINYL CLEANER CONCENTRATED 50ML**

- Vinyl cleaner 50ml is a concentrated cleaning liquid for vinyl records, based on an advanced alcohol-free formula that contains non-toxic and non-flammable ingredients.
  - Thanks to its ultra thin molecular structure, it will penetrate effectively into the vinyl grooves and regardless of the depth and intensity of the print will efficiently and effectively regenerate their surface.
  - A gentle treatment is enough to remove static, to restore vinyl shine and to eliminate noises caused by dust, residues and moisture. Cartridge life expectancy is also increased.
  - A proper mix with distilled water will completely dry after treatment, without leaving any thin-walled layer on vinyl surface.
- In practice, the record cleaning fluid will help phono cartridges to achieve the optimum contact with the grooves of records and to reveal all the printed information with higher accuracy and increased clarity.

**Suggested mix:**

-50ml Simply Analog liquid with 1 litres of distilled water.

**Recommended use:**

Simply Analog vinyl cleaner is ideal for record cleaning machines and vinyl cleaning cloths.

**\$22.00 Retail**



**WORK MAT**

- Antistatic work mat for vinyl records
- Dimensions: 32cm x 32cm

**\$70.00 Retail**



**CORK SLIP MAT (STANDARD EDITION)**

- Cork slip mat
- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 3mm

**\$34.00 Retail**

**391 Hanlan Road Unit # 4, Vaughan, Ontario L4L 3T1**

**(905)265-7870, 1-800-263-8151 FAX: (905)265-7868**

**E-mail tricell@bellnet.ca Website www.tricellenterprises.com**





**CORK SLIP MAT (SPECIAL EDITION)**

- This mat is a unique combination of Cork and Nitrile Rubber particles. This composite layer absorbs resonances and vibrations.
- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 1.5mm

**\$46.00 Retail**



**CORK SLIP MAT (VERTIGO)**

- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 3mm

**\$40.00 Retail**



**CORK SLIP MAT (SPEAKER)**

- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 3mm

**\$40.00 Retail**



**CORK SLIP MAT (IRIS)**

- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 3mm

**\$40.00 Retail**



**CORK SLIP MAT (IRIS)**

- Suitable for all turntables
- Avoids static load
- Precision Manufactured in the EU
- Packaged flat (not rolled or folded)
- Diameter: 298mm - Thickness: 3mm

**\$40.00 Retail**

# QUANTUM PURPLE FUSE



## RETAIL

5mm x 20mm or 6.3mm x 32mm Sizes      250.00  
Slow Blow or Fast Blow (SOLD AS EACH)

The new Purple Fuse surpasses our Orange Fuse with technology initially developed for our state-of-the-art SRX Series cables. In fact, before two last-minute breakthrough SRX technologies, we could not better the Orange Fuse with its impossible combination of detail and rich harmonic musicality. As a result, we were set to forgo a new fuse introduction for 2022 as we could not build anything better sounding than Orange despite two years of trying. It was not until we finalized two new technologies, namely a three-stage long duration high voltage conditioning process and a brand new UEF compound featuring Graphene, that we were able to beat the Orange Fuse significantly. Together these new technologies create a larger soundstage with better image focus and higher resolution from a perceived lowering of the noise floor. Of all the fuse generations and refinements we have pioneered over the past decade, the new Purple Fuses are by far our best sounding and take the single greatest leap in performance over previous generations. All aspects of subjective sound quality get enhanced, including natural sound where instruments and vocals sound inherently right, dynamics, low-level detail, high-frequency extension, and smoothness all take a massive leap forward.

### **5mm x 20mm SLO-BLO 250v (Available Amperage)**

100mA, 160mA, 200mA, 250mA, 315mA, 500mA, 630mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 16A.

### **6.3mm x 32mm SLO-BLO 500v (Available Amperage)**

250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 15A, 16A, 20A.

### **5mm x 20mm FAST-BLO 250v (Available Amperage)**

50mA, 160mA, 200mA, 250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 16A.

### **6.3mm x 32mm FAST-BLO 500v (Available Amperage)**

250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 15A, 16A, 20A.

**391 Hanlan Road Unit # 4, Vaughan, Ontario L4L 3T1**

**(905)265-7870, 1-800-263-8151 FAX: (905)265-7868**

**E-mail [tricell@bellnet.ca](mailto:tricell@bellnet.ca) Website [www.tricellenterprises.com](http://www.tricellenterprises.com)**

# QUANTUM MASTER FUSE



**RETAIL**  
5mm x 20mm or 6.3mm x 32mm Sizes      800.00  
Slow Blow or Fast Blow (SOLD AS EACH)

Master Fuse is an entirely new kind of Fuse. In the past, we developed the highest resolution fuse given the current technology while voicing our fuses to complement a maximum number of systems. And for over a decade, as newly developed technologies came online, like new UEF Compounds and new conditioning processes, we have applied them to the next generation of cutting-edge fuses, usually every two years. Of course, we were striving for maximum resolution plus the warmth needed for most systems to sound musical. But we never could press resolution and other sonic traits as far as we could have. Enter Master Fuse; the first Synergistic Research fuse developed expressly for full resolution, dynamics, soundstaging, speed, and impact without the need to create musicality as a system-wide fuse loom. Instead, we engineered Master Fuse to work alongside Purple and Orange fuses to create dramatic new levels of sonic realism, featuring wall-to-wall, floor-to-ceiling soundstaging with unparalleled resolution, dynamics, and frequency extension. Best of all, most systems will not benefit from more than one or possibly two Master Fuses in an otherwise complete loom of Purple and or Orange fuses.

### **5mm x 20mm SLO-BLO 250v (Available Amperage)**

100mA, 160mA, 200mA, 250mA, 315mA, 500mA, 630mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 16A.

### **6.3mm x 32mm SLO-BLO 500v (Available Amperage)**

250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 15A, 16A, 20A.

### **5mm x 20mm FAST-BLO 250v (Available Amperage)**

50mA, 160mA, 200mA, 250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.6A, 16A.

### **6.3mm x 32mm FAST-BLO 500v (Available Amperage)**

250mA, 500mA, 800mA, 1A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A, 8A, 10A, 12.5A, 15A, 16A, 20A.

**391 Hanlan Road Unit # 4, Vaughan, Ontario L4L 3T1**

**(905)265-7870, 1-800-263-8151 FAX: (905)265-7868**

**E-mail [tricell@bellnet.ca](mailto:tricell@bellnet.ca) Website [www.tricellenterprises.com](http://www.tricellenterprises.com)**



**CLASSIC – Standard Series**

**MODEL**

**DESCRIPTION**

**RETAIL**

**5266i**

Standard Power Connector  
Perma-lock terminals  
Accepts 10 to 16 awg wire  
Accepts 16mm cable diameter  
Glass filled high temperature nylon front housing  
Polycarbonate rear housing  
Stainless hardware  
15A/125VAC  
Cryo Treated  
**Available in Black or Clear**

25.00



**320i**

Standard IEC  
Perma-lock terminals  
Accepts 10 to 16 awg wire  
Accepts 16mm cable diameter  
Large high spring-rate contacts  
Glass filled high temperature nylon front housing  
Polycarbonate rear housing  
Stainless hardware  
15A/125VAC  
10A/250VAC  
Cryo Treated  
**Available in Black or Clear**

35.00



**320i HC**

Standard High Current IEC  
Perma-lock terminals  
Accepts 10 to 16 awg wire  
Accepts 16mm cable diameter  
Large high spring-rate contacts  
Glass filled high temperature nylon front housing  
Polycarbonate rear housing  
Stainless hardware  
20A/125VAC or 250VAC  
Some classifications are 16A/250VAC  
Cryo Treated  
**Available in Black or Clear**

54.00



## CLASSIC – Gold Series

### MODEL

### DESCRIPTION

### RETAIL

#### **330i AU**

★ Audio Grade Power Connector  
 Perma-lock terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 WATTGATE Three Layer Plating Process:  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

120.00



#### **350i AU**

★ Audio Grade IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 10A/250VAC  
 WATTGATE Three Layer Plating Process:  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

120.00



#### **350i HC AU**

★ Audio Grade High Current IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 20A/125VAC or 250VAC  
 Some classifications are 16A/250VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

150.00



## CLASSIC – Silver Series

### MODEL

### DESCRIPTION

### RETAIL

#### **330i AG**



★ Audio Grade Power Connector  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure silver layer  
 3. Pure silver plating improves conductivity  
 Cryo Treated

120.00

#### **350i AG**



★ Audio Grade IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 10A/250VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure silver layer  
 3. Pure silver plating improves conductivity  
 Cryo Treated

120.00

#### **350i HC AG**



★ Audio Grade High Current IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 20A/125VAC or 250VAC  
 Some classifications are 16A/250VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure silver layer  
 3. Pure silver plating improves conductivity  
 Cryo Treated

150.00

## CLASSIC – Rhodium Series

### MODEL

### DESCRIPTION

### RETAIL

**330i RH**



★ Audio Grade Power Connector  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 WATTGATE Four Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 4. Pure Rhodium plating  
 Cryo Treated

154.00

**350i RH**



★ Audio Grade IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 15A/125VAC  
 10A/250VAC  
 WATTGATE Four Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 4. Pure Rhodium plating  
 Cryo Treated

154.00

**350i HC  
RH**



★ Audio Grade High Current IEC  
 Large, high spring-rate contacts  
 Perma-Lock Terminals  
 Accepts 10 to 16 awg wire  
 Accepts 16mm cable diameter  
 Glass filled high temperature nylon front housing  
 Polycarbonate rear housing  
 Stainless hardware  
 20A/125VAC or 250VAC  
 Some classifications are 16A/250VAC  
 WATTGATE Four Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 4. Pure Rhodium plating  
 Cryo Treated

190.00

## Evolution – Standard Series

### MODEL

### DESCRIPTION

### RETAIL

#### 5266 EVO



Standard Power Connector  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 High spring rate brass contacts  
 15A/125VAC  
 Cryo Treated  
**Available in Black or Clear**

50.00

#### 320 EVO



Standard IEC  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 High spring rate brass contacts  
 15A/125VAC  
 10A/250VAC  
 15A/250VAC  
 Cryo Treated  
**Available in Black or Clear**

50.00

#### 340 EVO



Standard C7  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 Phosphor bronze contacts  
 2.5A/250VAC  
 10A/125VAC  
 Cryo Treated  
**Available in Black or Clear**

50.00

**391 Hanlan Rd Unit # 4, Vaughan, ON L4L 3T1**

**Toll free: 1-800-263-8151, Fax: (905)-265-7868**

**Email: [tricell@bellnet.ca](mailto:tricell@bellnet.ca) Website: [www.tricellenterprises.com](http://www.tricellenterprises.com)**



## Evolution – Gold Series

### MODEL

### DESCRIPTION

### RETAIL

#### 330 AU EVO



★ Audio Grade Power Connector  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 High spring rate brass contacts  
 15A/125VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

140.00

#### 350 AU EVO



★ Audio Grade IEC  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 High spring rate brass contacts  
 15A/125VAC  
 10A/250VAC  
 15A/250VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

140.00

#### 370 AU EVO



★ Audio Grade C7  
 WattLock terminals - Heavy duty wire capture box  
 Accepts 8 to 14 awg wire  
 Accepts 19mm cable diameter  
 2.5mm Hex socket hardware  
 All Polycarbonate design  
 All non-magnetic materials  
 Phosphor bronze contacts  
 2.5A/250VAC  
 10A/125VAC  
 WATTGATE Three Layer Plating Process  
 1. Oxygen free copper plating improves conductivity  
 2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer  
 3. 24k gold plating improves conductivity  
 Cryo Treated  
**Available in Black or Clear**

140.00



**391 Hanlan Rd Unit # 4, Vaughan, ON L4L 3T1**

**Toll free: 1-800-263-8151, Fax: (905)-265-7868**

**Email: tricell@bellnet.ca Website: www.tricellenterprises.com**



## Evolution – Rhodium Series

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>RETAIL</u>
 <p><b>330 RH EVO</b></p>	<p>★ Audio Grade Power Connector            WattLock terminals - Heavy duty wire capture box            Accepts 8 to 14 awg wire            Accepts 19mm cable diameter            2.5mm Hex socket hardware            All Polycarbonate design            All non-magnetic materials            High spring rate brass contacts            15A/125VAC            WATTGATE Four Layer Plating Process            1. Oxygen free copper plating improves conductivity            2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer            3. 24k gold plating improves conductivity            4. Pure Rhodium plating            Cryo Treated  <b>Available in Black or Clear</b></p>	<p>180.00</p>
 <p><b>350 RH EVO</b></p>	<p>★ Audio Grade IEC            WattLock terminals - Heavy duty wire capture box            Accepts 8 to 14 awg wire            Accepts 19mm cable diameter            2.5mm Hex socket hardware            All Polycarbonate design            All non-magnetic materials            High spring rate brass contacts            15A/125VAC            10A/250VAC            15A/250VAC            WATTGATE Four Layer Plating Process            1. Oxygen free copper plating improves conductivity            2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer            3. 24k gold plating improves conductivity            4. Pure Rhodium plating            Cryo Treated  <b>Available in Black or Clear</b></p>	<p>180.00</p>
 <p><b>370 RH EVO</b></p>	<p>★ Audio Grade C7            WattLock terminals - Heavy duty wire capture box            Accepts 8 to 14 awg wire            Accepts 19mm cable diameter            2.5mm Hex socket hardware            All Polycarbonate design            All non-magnetic materials            Phosphor bronze contacts            2.5A/250VAC            10A/125VAC            WATTGATE Four Layer Plating Process            1. Oxygen free copper plating improves conductivity            2. Electroless nickel plating necessary to prevent the leeching of the copper through the pure gold layer            3. 24k gold plating improves conductivity            4. Pure Rhodium plating            Cryo Treated  <b>Available in Black or Clear</b></p>	<p>180.00</p>

**391 Hanlan Rd Unit # 4, Vaughan, ON L4L 3T1**

**Toll free: 1-800-263-8151, Fax: (905)-265-7868**

**Email: tricell@bellnet.ca Website: www.tricellenterprises.com**

## **ACCESSORIES**

**15 RA**

Right angle housing for use when space is limited  
8 different cover orientations

22.00

**\*\*FITS FOR CLASSIC SERIES ONLY\*\***



07/01/2023

**6-month manufacture warranty on all Cartridges!!!**

**Vasari** (Gold & Red) MM Cartridges



Gold

**RETAIL**

630.00

Red

380.00

With an innovative and beautiful shape, computer designed and then finely machined to achieve top audio performance, Vasari combines style and technology. Its high dampening body firmly block the cartridge; its ultra-rigid cantilever in aluminium features a custom elliptical diamond tip, exclusively developed for Gold Note. To let you enjoy even the finest sound details, the cantilever is securely and directly installed into the metal body to enhance structural rigidity for top trackability, so that you can experience the greatest and largest bandwidth response. Vasari completes our range of cartridges with the best designed MM model ever made.

**Vasari Gold SPECIFICATIONS**

Typology: MM Phono Cartridge  
 Output level: 4.0mV  
 Frequency response: 15-25000Hz  
 Impedance: 1000Ω  
 Suggested load: 47kΩ  
 Inductance: 500mH  
 Compliance: 10×10-6cm/dyne  
 Channel separation: > **22dB**  
 Channel balance: < 2db  
 Suggested tracking weight: 2.0g  
 Cantilever: Aluminum  
 Diamond: **Elliptical**  
 Diamond size: **7.5\*15.5um**  
 Coil Wire: Copper  
 Magnet: Alnico  
 Mounting hole diamond distance: 9mm  
 Weight: **9.5 grams**  
 Body: **Duraluminium**

**Vasari Red SPECIFICATIONS**

Typology: MM Phono Cartridge  
 Output level: 4.0mV  
 Frequency response: 15-25000Hz  
 Impedance: 1000Ω  
 Suggested load: 47Ω  
 Inductance: 500mH  
 Compliance: 10×10-6cm/dyne  
 Channel separation: > **20dB**  
 Channel balance: < 2db  
 Suggested tracking weight: 2.0g  
 Cantilever: Aluminum  
 Diamond: **Conical**  
 Diamond size: **15.5um**  
 Coil Wire: Copper  
 Magnet: Alnico  
 Mounting hole diamond distance: 9mm  
 Weight: **7 grams**  
 Body: **Photopolymer resin**

07/01/2023

**6-month manufacture warranty on all Cartridges!!!**

## **ES-78 MM Cartridges**



### **RETAIL**

**200.00**

The ES-78 is the perfect starter kit phono cartridge for young audiophiles. It comes in a practical boxy shape with a plastic body and a precise moving magnet mechanism. Its output level is 4mV and no other cartridge on the market, at this price, competes with its impressive sound quality. The ES-78 phono cartridge is the successor of the Babele cartridge. This new version unleashes super rich details, outstanding powerful dynamic and surprising resolution. It comes in a practical box and represents the perfect phono cartridge starter kit for younger audiophiles, curious about vinyl and analogue quality sound.

### **SPECIFICATIONS**

Typology: MM Phono Cartridge  
Output level: 4.0mV  
Frequency response: 15-25000Hz  
Impedance: 1000Ω  
Suggested load: 47kΩ  
Compliance: 10×10<sup>-6</sup>cm/dyne  
Channel separation: > 20db  
Channel balance: < 2db  
Suggested tracking weight: 2.0g  
Cantilever: Aluminum  
Diamond: Conical  
Diamond size: 7.5\*15.5um  
Coil Wire: Copper  
Magnet: Alnico  
Mounting hole diamond distance: 9mm  
Weight: 6 grams  
Body: Black POM

**Vinyl Accessories**

<b>Fiorino Turntable Speed Control</b>	Allows any Goldnote turntable ever made be controlled by a 12v synchronous motor with 33/45 adjustable speed control. The Kit contents Motor and PSU.	<b>545.00</b>
<b>Felt Mat</b>	Made of special dampened fibre	<b>30.00</b>
<b>Kymyas</b>	Vinyl Treatment - Restoring scratched LP Kit based on a double treatment.	<b>90.00</b>
<b>Precision Stylus Gauge</b>	Stylus Force Gauge - Manual 1 to 3 gram to set up cartridge tracking force.	<b>45.00</b>
<b>Protractor Strobe</b>	Protractor Strobe Overhang - Measuring Baerwald + 8.5".	<b>22.00</b>
<b>Precision Spirit Level</b>	High Precision Spirit Level - with aluminum body calibrated scale for flatness adjustment.	<b>65.00</b>
<b>Magnifico Record Clamp</b>	Blocking deluxe aluminum giant extra effective record clamp.	<b>435.00</b>
<b>Record Clamp</b>	200g Aluminum no thread.	<b>110.00</b>
<b>VTA Lifter Rega Deluxe</b>	VTA Lifter for Rega arms - Brass/Aluminum double piece.	<b>45.00</b>
<b>Arm Collar 9"</b>	9" Arm Collar - 9" Standard Tone Arm Collar (Rega Compatible).	<b>100.00</b>
<b>Arm Collar 12"</b>	12" & 9" Double Arm Collar - 9" Standard Tone Arm Collar (Rega Compatible).	<b>375.00</b>
<b>Arm Internal Cables</b>	Tone arm internal cables - 5x50cm special ultra thin cables.	<b>140.00</b>
<b>Phono Cartridge Connectors</b>	Phono Cartridge Connectors - including white, blue, red, green heat-shrink.	<b>45.00</b>



<b>Bearing Oil</b>	<i>5ml vessel special lubricant for turntable bearings.</i>	<b>30.00</b>
<b>Antistatic Carbon Brush</b>	Vinyl Carbon Brush - Cleaning Vinyl eliminating electrostaticity.	<b>30.00</b>
<b>Stylus Brush</b>	Cleaning for phono cartridges.	<b>14.00</b>
<b>Turntable Belt Deluxe</b>	For All Goldnote turntables	<b>75.00</b>

**Other Accessories**

<b>MIDAS Ebony</b>	Tube Dampers - made in pure Black Ebony. Indicated to use with mini tubes to eliminate resonance - 2 per box.	<b>375.00</b>
<b>Spikes Aluminum (each)</b>	Aluminum Spikes 30x50mm - 6mm threaded.	<b>90.00</b>
<b>Spikes Acrylic (each)</b>	Acrylic Spikes 30x40mm - 6mm threaded.	<b>60.00</b>
<b>Spikes Plates Aluminum (each)</b>	Aluminum Spike Plates Deluxe anodized	<b>40.00</b>
<b>Spikes Plates Brass (each)</b>	Brass Spike Plates Deluxe.	<b>30.00</b>
<b>Polish Paste</b>	To remove scratches from acrylic surface	<b>22.00</b>
<b>DIN Gold Note Straight</b>	DIN per phono cable - 4 poles male + Ground, Straight	<b>40.00</b>
<b>DIN Gold Note 90 Degree</b>	DIN per phono cable - 4 poles male + Ground 90-degree connectors	<b>40.00</b>
<b>DIN SME</b>	DIN per phono cable - 5 poles female compatible SME	<b>45.00</b>

**Dustcovers**

<b>Mediterraneo</b>	<b>825.00</b>
<b>Valore Plus, Giglio &amp; Pianosa</b>	<b>375.00</b>



**TRI-CELL  
ENTERPRISES**

07/01/2023

1 year manufacture warranty on  
record cleaning machines!!!

**Okki  
Nokki**

**Record Cleaning Machine - ONE**



<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCM ONE-B	Black Colour Record Cleaning Machine	900.00

- Single control button / extreme easy in use
- Bi-directional full size 12-inch platter, including label size platter, record clamp with label cover and single adapter
- Extremely silent and powerful vacuum system
- Waste fluid reservoir with level indicator!
- Includes 1x All-in-one vacuum arm 12 inch / 10 inch / 7 inch, 1x Goat-hair brush, 1x one-liter record cleaning fluid and dustcover

**Accessories**

<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCB	Record Cleaning Brush - Wood	16.00
RCB - WG	Record Cleaning Brush - Goat Hair	36.00
RCS	Velvet Strip Brush Set - 2 Pieces	12.00



391 Hanlan Road Unit # 4, Vaughan, On L4L 3T1  
(905)265-7870, 1-800-263-8151 FAX: (905)265-7868

E-mail: [tricell@bellnet.ca](mailto:tricell@bellnet.ca) Website: [www.tricellenterprises.com](http://www.tricellenterprises.com)



**TRI-CELL  
ENTERPRISES**

07/01/2023

*1 year manufacture warranty on  
record cleaning machines!!!*

**Okki  
Nokki**

<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCT-ONE	Plastic vacuum tube arm for 7"/10"/12" records for RCM-ONE	100.00
RCCN	Stainless steel record clamp fits on RCM-ONE and all previous RCM machines	60.00
RCF	Record Cleaning Fluid, concentrated good for 1 litre	16.00



**Dust Cover - For Models (2014-2019)**

<u>Model</u>	<u>Retail</u>
RCD	100.00





**ALUMINUM VACUUM TUBE - For Older Version 2014 Models**

<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCT - 12	Aluminum Vacuum Tube - 12-inch	50.00
RCT - 10	Aluminum Vacuum Tube - 10-inch	50.00
RCT - 7	Aluminum Vacuum Tube - 7-inch	50.00

**RCT 12**



**RCT 10**



**RCT 7**



**Plastic Vacuum Tube - For 2015-2019 Models**

<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCTN - 12	Plastic Vacuum Tube - 12-inch	70.00
RCTN - 10	Plastic Vacuum Tube - 10-inch	70.00
RCTN - 7	Plastic Vacuum Tube - 7-inch	70.00

**RCTN 12**



**RCTN 10**



**RCTN 7**



<u>Model</u>	<u>Description</u>	<u>Retail</u>
RCC	Aluminum Record Clamp fits on all RCM models from 2014-2019	16.00



07/01/2023

*2 year manufacturer warranty!!!*



**BLUE SUN SIGNATURE (Sold as each)**

1,100.00

The original blue sun combined with another layer which includes the technology of the Quantum Organizers. Available in Dark Blue or White. Diameter: 65mm x Height: 25mm



**BLUE SUN SIGNATURE UPGRADE**

320.00

This is only the layer which carries the technology of the Quantum Organizers. Put underneath your Blue Sun and enjoy the benefits of the Blue Sun Signature Version. Available in Dark Blue or White Finish. Diameter: 65mm x Height: 10mm



**Blue Diamonds (Sold as each)**

360.00

Further increase the naturalness of music compared to the Black Diamonds. At these we could increase the intensity by a factor of three compared with the Black Diamonds. Diameter: 40mm x Height: 20mm



**Black Diamonds (Sold as each)**

200.00

Similar to Black Stones, but in addition to Black Stones they are implemented in another technique also based on quantum physics. So, they became much more efficient. We recommend you use in the same way as Black Stones. Already the use of two Black Diamonds for example placed on the speakers will bring you much closer to the music. Diameter: 40mm x Height: 20mm



**Black Stones (Sold as each)**

60.00

Small acoustic tuning elements to optimize room acoustics and perfectly match to H2's. New square black version.



07/01/2023

*2 year manufacturer warranty!!!*



**Aventurin 6 (MC Cartridge)**

8,000.00

MicroRidge Stylus, housing made of a Carbon and Mahogany composite. Cartridge is built on a massive cast bronze base, has a Maestro treated wooden housing and is available in low output (0.32 mv) or high output version. 11.5 grams for weight.



**The Perfect Interface (Pi:)**

300.00

Resonance control between a vinyl disk and the platter is essential to achieve the best quality of your turntable. The Perfect Interface consists of handmade Japanese paper treated with SteinMusic Maestro Lacquer and works perfectly on all kinds of turntables.



**The Perfect Interface (Pi:) Signature**

400.00

As above, but further optimized with SteinMusic Quantum solution.



**The Perfect Interface (Pi:) Carbon Signature**

750.00

The ultimate no compromise solution. As above, but further optimized with the SteinMusic Quantum solution.



**The Perfect Interface (Pi:) CD Signature**

160.00

The Perfect Interface CD consists of handmade Japanese paper treated with SteinMusic Maestro lacquer, optimized with the Steinmusic Quantum solution. Works perfectly on all kinds CD top loaders and most CDs with a CD tray.

07/01/2023

*2 year manufacturer warranty!!!*



### Super Naturals Thread

420.00

Audio component feet 30mm high. Available with thread M5, M6 or M8, or without thread. Diameter: 30mm, Height: 30mm. Comes with Set of 3.



### Super Naturals

300.00

These feet are made out of American walnut, acoustically optimized with ceramic elements and vacuum impregnated felt pads. It needs more than 80 steps to build them. They combine fast resonance transfer with a rich and colourful sound. Comes with Set of 3. Diameter: 30mm, Height: 22mm



### Super Naturals Plus

600.00

The Super Naturals concept updated. Two audio component feet are made-out of Zebrawood combined with one made out of Olivewood and a refined internal structure give an even more open and natural sound. Diameter: 30mm, Height: 22mm. Comes with Set of 3.



### Super Naturals Signature

900.00

The Super Naturals concept without compromise. Even more complex with carefully adopted new technologies for the ultimate performance. Diameter: 30mm, Height: 22mm. Comes with Set of 3.



### CD Plus

60.00

Treatment for the readable surface of optical discs. It securely removes residues from the production and applies an antireflection coating that helps the laser to read the disk information error free.

07/01/2023

*2 year manufacturer warranty!!!*



**Contact Clear System**

200.00

System to clean and stabilize contact points. It consequently isolates areas which are not contributing to a perfect contact and that way leads to a considerably cleaner and more natural sound. Package with cleaning fluid, contact fluid and a set of cleaning brushes.



**E-Pads +S**

100.00

Next generation self-adhesive elements of 8x15mm working on the level of interaction between molecules. They so profoundly measurable and sonically change material properties in a very positive way.



**Maestro Lacquer**

100.00

A unique lacquer made out of entirely natural resins to improve resonance pattern of everything treated with it. Good on Speaker diaphragms just as on PCBs or on CDs.



**InLine RCA Plus.**

EMT field effect breaker for RCA line to minimize grounded interference in the unbalanced signal. Sold as One Pair!!

800.00



**InLine XLR Plus (Silver or Gold)**

900.00

EMT field effect breaker for XLR line to minimize grounded interference in the balanced signal. Sold as One Pair!!

07/01/2023

*2 year manufacturer warranty!!!*



**InLine XLR Signature (Silver or Gold)**

1,100.00

EMT field effect breaker for XLR line to minimize grounded interference in the balanced signal, additionally equipped with the classic signature elements.



**InLine Speaker Signature**

2,000.00

EMF Field effect breaker for the loudspeaker cable to minimize grounded interference in the speaker signal. Available in either gold or silver ends. Sold as One Pair!! Gold or Silver.



**Q1 Quantum Organizer**

300.00

A unique combination of crystals and quantum physics organizing the protons by a field of force with the result of a more organic realistic sound. Fine walnut housing. Small version especially to be mounted on cables, and to be placed under components, power distribution, etc. 22mm x 128mm. Sold as each.



**Q2 Quantum Organizer**

480.00

A unique combination of crystals and quantum physics organizing the protons by a field of force with the result of a more organic realistic sound. Fine walnut housing. Medium version to be placed under components, power distribution, etc. 130mm x 90mm x 15mm. Weight approximately 150 grams. Sold as each.



**Q3 Quantum Organizer**

800.00

A unique combination of crystals and quantum physics organizing the protons by a field of force with the result of a more organic realistic sound. Fine walnut housing. Large version to be placed under components, power distribution, etc. 200mm x 115mm x 18mm. Weight approximately 350 grams. Sold as each.





Power Accessories

20A/125V North American	Retail
UEF Purple Duplex	370.00

20A/125V North American	Retail
Tesla Plex	130.00

	Retail
Double Carbon Fiber Duplex Cover	200.00

	Retail
Quad Carbon Fiber Duplex Cover	270.00

15A/125V North American	6 outlet	9 outlet
QLS: Quantum Line Strip	540.00	675.00

15A/125V North American	Each
Quantum Ground Lifter	65.00

Polarized & Non-Polarized	Each
Quantum <b>C7</b> Adapter	65.00